

PAREXLAHABRA - MATERIAL SAFETY DATA SHEET

Date Printed: 11/12/2007
Product Code: 801
Product Name: 801 THIN SET

1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION
PRODUCT CODE: 801
PRODUCT NAME: 801 THIN SET
MANUFACTURER: PAREXLAHABRA
2150 EASTRIDGE AVE
RIVERSIDE, CA 92507
EMERGENCY PHONE NUMBER: (951) 653-3549
INFORMATION PHONE NUMBER: (951) 653-3549
NAME OF PREPARER: Michelle Heaton

REVISION DATE: 11/12/07

HMIS CODES:
HEALTH 1
FLAMMABILITY 0
REACTIVITY 0
PROTECTION E

2 - COMPOSITION/INFORMATION ON INGREDIENTS

Components / Exposure Limits	CASRN
CALCIUM CARBONATE - NATURAL ACGIH TLV 10 mg/m3 AS DUST OSHA PEL 10 mg/m3 TOTAL DUST OSHA PEL 5 mg/m3 RESPIRABLE FRACTION	001317-65-3
PORTLAND CEMENT ACGIH TLV 10 mg/m3 TOTAL DUST OSHA PEL 15 mg/m3 TOTAL DUST OSHA PEL 5 mg/m3 RESPIRABLE DUST	65997-15-1
CRYSTALLINE SILICA OCCUPATIONAL EXPOSURE LIMITS: ACGIH TLV .05 mg/m3 RESPIRABLE FRACTION OSHA PEL 10 mg/m3 RESPIRABLE FRACTION NIOSH REL .05 mg/m3 HAZARDS: CARCINOGEN • ACGIH - GROUP A2: SUSPECTED HUMAN CARCINOGEN • IARC - GROUP 1: CARCINOGEN TO HUMANS • NTP - GROUP K: KNOWN HUMAN CARCINOGEN • OSHA - GROUP S: SELECT CARCINOGEN CANCER SITE - IN ANIMALS: LUNG CANCER TUMORIGEN MUTIGEN HUMAN DATA TARGET ORGANS: EYES RESPIRATORY SYSTEM	014808-60-7
PROPRIETARY INGREDIENTS OSHA PEL 5 mg/m3 OSHA PEL 15 mg/m3 ACGIH TWA 3 mg/m3 RESPIRABLE DUST ACGIH TWA 2 mg/m3 RESPIRABLE DUST ACGIH TWA 5 mg/m3 ACGIH STEL 10 mg/m3 ACGIH TWA 10 mg/m3 OSHA PEL 5 mg/m3 RESPIRABLE FRACTION OSHA PEL 15 mg/m3 TOTAL	

3 - HAZARDS IDENTIFICATION - POTENTIAL HEALTH EFFECTS

EYES: Contact with eyes can cause irritation.
SKIN: Prolonged or repeated contact with skin can cause irritation.
INGESTION: May be harmful if ingested.
INHALATION: When applying this product by spray, or when sanding the dry product, the vapors and/or dust produced can cause irritation to the respiratory tract.
CHRONIC (CANCER) INFORMATION: WARNING - See section 11, TOXICOLOGICAL INFORMATION for details. Also see section 15.
TERATOLOGY (BIRTH DEFECTS): Not known to cause birth defects.
REPRODUCTIVE INFORMATION: Not known to cause reproductive harm.

4 - FIRST AID MEASURES

PAREXLAHABRA - MATERIAL SAFETY DATA SHEET

Date Printed: 11/12/2007
Product Code: 801
Product Name: 801 THIN SET

EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.
SKIN: Wash affected area thoroughly with soap and water. Remove contaminated cloths and launder before re-use.
INGESTION: Do not induce vomiting. Get medical attention immediately.
INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If having difficulty breathing, give oxygen. Get immediate medical attention.

5 - FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES:

FLASH POINT: Not Applicable - Powder Product.

Method: Not Applicable.

FLAMMABLE LIMITS:

Lower flammable limit: Not Applicable.

Upper flammable limit: Not Applicable.

AUTOIGNITION TEMPERATURE: Not Applicable.

HAZARDOUS COMBUSTION PRODUCTS: Incomplete combustion of dried product can yield low molecular weight hydrocarbons, carbon monoxide, and carbon dioxide.

EXTINGUISHING MEDIA: For the dried product, use carbon dioxide, dry chemical, or alcohol foam extinguishing media.

FIREFIGHTING INSTRUCTIONS: Respiratory equipment should be worn to avoid inhalation of combustion products. Water should not be used except as fog to keep nearby containers cool. Water may be used to cool closed containers to prevent pressure build-up and explosion when exposed to extreme heat.

6 - ACCIDENTAL RELEASE MEASURES

Ventilate area. Dike spill using absorbent inert materials. Transfer to containers for disposal. Keep spilled products out of sewers, streams, and water systems. See section 13 and section 15 for specific regulatory information concerning this product.

7 - HANDLING AND STORAGE

HANDLING: Wear appropriate protective equipment when working with this product. Keep containers closed when not in use. Transfer only to approved containers with complete and appropriate labeling. Keep out of reach of children.

STORAGE: Avoid temperature extremes in storage. Do not allow to freeze. Consult the Technical Data Sheet for specific storage instructions.

8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

WARNING! If you scrape, sand, or remove old paint, you may release lead dust. LEAD IS TOXIC. EXPOSURE TO LEAD DUST CAN CAUSE SERIOUS ILLNESS, SUCH AS BRAIN DAMAGE, ESPECIALLY IN CHILDREN. PREGNANT WOMEN SHOULD ALSO AVOID EXPOSURE. Wear a NIOSH-approved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and a wet mop. Before you start, find out how to protect yourself and your family by contacting the National Lead Information Hotline at 1-800-424-LEAD or log onto www.epa.gov/lead.

VENTILATION: Use local exhaust. General exhaust acceptable if the exposure to materials in section 2 is maintained below applicable exposure limits. Refer to OSHA Standards 1910.94, 1910.107, and 1910.108.

RESPIRATORY PROTECTION: If personal exposure cannot be controlled below applicable limits by ventilation, wear a properly fitted organic vapor/particulate respirator approved by NIOSH for protection against materials described in section 2.

SKIN PROTECTION: Prevent prolonged or repeated contact by using rubber gloves and appropriate protective clothing.

EYE PROTECTION: Wear safety glasses to reduce the potential for eye contact.

9 - PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: N/A

EVAPORATION RATE: N/A

SOLUBILITY IN WATER: Dispersable.

DENSITY:

ODOR: N/A

FREEZING/MELTING POINT: N/A

VAPOR DENSITY: Heavier than air.

SPECIFIC GRAVITY:

pH: N/A

APPEARANCE: gray or white

PAREXLAHABRA - MATERIAL SAFETY DATA SHEET

Date Printed: 11/12/2007
Product Code: 801
Product Name: 801 THIN SET

PHYSICAL STATE: Powder

VOC: N/A

10 - STABILITY AND REACTIVITY

CONDITIONS TO AVOID: None known.
CHEMICAL STABILITY: Stable.
HAZARDOUS DECOMPOSITION PRODUCTS: None known.
HAZARDOUS POLYMERIZATION: Will not occur.
INCOMPATIBILITY: None known.

11 - TOXICOLOGICAL INFORMATION - CHRONIC AND ACUTE HEALTH HAZARDS

CRYSTALLINE SILICA - (Quartz, Christobalite) is considered a known human carcinogen by Federal (OSHA) and advising health agencies (IARC, NIOSH, and NTP). Additionally, crystalline silica can cause a lung condition known as silicosis after long term exposure to dusts containing crystalline silica. Exposure of workers to crystalline silica containing dusts is specifically regulated by OSHA. The use of a correctly fitted, NIOSH approved respirator suitable for use against chrystalline silica inhilation is essential for minimizing exposure to this danger.

MINERAL DUSTS - Some items mentioned in section 2 of this MSDS are considered mineral dusts by OSHA and a correctly fitted, NIOSH approved respirator is required when working with this product.

12 - ECOLOGICAL INFORMATION

There is no data available about this topic.

13 - DISPOSAL CONSIDERATIONS

Spill responses procedures: Normal clean-up using precautions of section 7. Aviod creating dust.
Preparing wastes for disposal: May be salvaged for use or removed to a landfill dump in accordance with regulations.

NOTE: Dispose of all waste in accordance with federal, state, and local regulations.

14 - TRANSPORT INFORMATION

US DOT PROPER SHIPPING DESCRIPTION: Paint and related materials, NOIBN.

15 - REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS:

CERCLA - SECTION 103 (40CRF302.4)

This product contains the following toxic chemicals that require notification of the National Response Center of releases of quantities of hazardous substances equal to or greater than the Reportable Quantities (RQ).

*** No reportable quantities are present. ***

CLEAN AIR ACT - SECTION 112:

This product contains the following components present at or above the de minimus level and listed as Hazardous Air Pollutants:

*** No reportable quantities are present. ***

This product contains the following components present at or above the de minimus level and listed as Extremely Hazardous Air Pollutants:

*** No reportable quantities are present. ***

